

D.T. Light - Post

Safety Data Sheet according to Regulation (EC) No. 453/2010 Date of issue: 10/04/2015 Revision date: 01/05/2015 Version: 1.1

SECTION 1: Identification of the substa	ance/mixture and of the comp	pany/undertaking	
1.1. Product identifier			
Product form :	Mixture		
Product name :	D.T. Light - Post		
.2. Relevant identified uses of the substar	ice or mixture and uses advised aga	inst	
.2.1. Relevant identified uses			
ndustrial/Professional use spec :	Industrial		
	For professional use only		
Jse of the substance/mixture :	For professional use only		
I.2.2. Uses advised against			
No additional information available			
.3. Details of the supplier of the safety dat	a sheet		
Manufacturer:			
Bisco, Inc. 1100 W Irving Park Road, Schaumburg,	IL 60193 USA		
I-847-534-6000, during normal business hours www.bisco.com			
www.bisco.com			
EC Representative: Pieiro Franco, 120, alléo de la Coudeulette, 12690 l	annon do Brovanco, Franco		
Bisico France, 120, allée de la Coudoulette, 13680 Felephone: 33-4-90-42-92-92	Lançon de Provence, France		
.4. Emergency telephone number			
Emergency number :	CHEMTREC - 24-Hour Hazmat Emerg		
	Domestic: 1-800-424-9300 Outside th	e U.S.: 1-703-527-3887	, collect calls accepted
SECTION 2: Hazards identification			
2.1. Classification of the substance or mixt	ure		
Classification according to Regulation (EC) No.	1272/2008 [CLP]		
Not classified			
Adverse physicochemical, human health and en	vironmental effects		
No additional information available			
2.2. Label elements			
abelling according to Regulation (EC) No. 1272	/2008 [CLP]		
Precautionary statements (CLP) :	P264 - Wash hands thoroughly after h		
	P270 - Do not eat, drink or smoke whe	en using this product	
2.3. Other hazards			
No additional information available			
SECTION 3: Composition/information	on ingredients		
3.1. Substance			
Not applicable			
2.2 Mixture			
3.2. Mixture			
Name	Product identifier	%	Classification according to Directive 67/548/EEC
Quartz fibers bound in an epoxy matrix	N/A	100	N/A
Name	Product identifier	%	Classification according to
			Regulation (EC) No.
			1272/2008 [CLP]
Output the set is a set of the se	N1/A	100	N N 1 / A

Full text of R- and H-phrases: see section 16

Quartz fibers bound in an epoxy matrix

N/A

100

N/A

D.T. Light - Post Safety Data Sheet

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medic	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	-
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any
Protection during firefighting	 chemical fire. Prevent fire-fighting water from entering environment. Do not enter fire area without proper protective equipment, including respiratory protection.
r rotection during menghting	
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
	ify authorities if liquid enters sewers or public waters.
6.3. Methods and material for containn	
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away
C.A. Defenses A. II. II	from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and persona	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.2. Conditions for safe storage, include	ling any incompatibilities
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/per	sonal protection
8.1. Control parameters	
No additional information available	

D.T. Light - Post

Safety Data Sheet

according to Regulation (EC) No. 453/2010

8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves
Eye protection	: Chemical goggles or safety glasses
Respiratory protection	: Wear appropriate mask
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	d chemical properties
Physical state	: Solid
Appearance	: Small Diameter (< 2mm) Cylinder.
Colour	: Translucent.
Odour	: characteristic.
Odour threshold	: No data available
pН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECT	ON 10: Stability and reactivity		
10.1.	Reactivity		
No addi	tional information available		
10.2.	Chemical stability		
Not esta	ablished.		
10.3.	Possibility of hazardous reactions		
	ablished.		
10.4.	Conditions to avoid		
	unlight. Extremely high or low temperatures	3.	
10.5.	Incompatible materials		
	acids. Strong bases.		
10.6.	-		
	Hazardous decomposition products		
tume. C	arbon monoxide. Carbon dioxide.		
SECT	ION 11: Toxicological information	n	
11.1.	Information on toxicological effects		
Acute to	oxicity	Not classified	
Milled	Fiber Glass (65997-17-3)		
	oral rat	N/A	
01/05/20	15	EN (English)	3/6

D.T. Light - Post Safety Data Sheet

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010	
Milled Fiber Glass (65997-17-3)	
LD50 dermal rat	N/A
LD50 dermal rabbit	N/A
LC50 inhalation rat (ppm)	N/A
LC50 inhalation rat (Dust/Mist - mg/l/4h)	N/A mg/l/4h
LC50 inhalation rat (Vapours - mg/l/4h)	N/A mg/l/4h
Skin corrosion/irritation	: Not classified.
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified.
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Carcinogenicity	
	Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified.
	Based on available data, the classification criteria are not met
Milled Fiber Glass (65997-17-3)	
LOAEL (oral, rat)	N/A mg/kg bodyweight
LOAEL (dermal, rat/rabbit)	N/A mg/kg bodyweight
LOAEL (inhalation, rat, gas)	N/A ppmv/4h
LOAEL (inhalation, rat, vapour)	N/A mg/l/4h
LOAEL (inhalation, rat, dust/mist/fume)	N/A mg/l/4h
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Milled Fiber Glass (65997-17-3)	
LOAEL (oral, rat, 90 days)	N/A mg/kg bodyweight/day
LOAEL (dermal, rat/rabbit, 90 days)	N/A mg/kg bodyweight/day
LOAEL (inhalation, rat, gas, 90 days)	N/A ppmv/6h/day
LOAEL (inhalation, rat, vapour, 90 days)	N/A mg/l/6h/day
LOAEL (inhalation, rat,dust/mist/fume, 90 days)	N/A mg/l/6h/day
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
Potential adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms	
SECTION 12: Ecological information	
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
. ,	
D.T. Light - Post Persistence and degradability	Not established.
	1101 COTADITOL
12.3. Bioaccumulative potential	
D.T. Light - Post	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessmen	t
No additional information available	
12.6. Other adverse effects	
Additional information	: Avoid release to the environment

D.T. Light - Post Safety Data Sheet according to Regulation (EC) No. 453/2010

SECTION 12: Disposal consideratio	
SECTION 13: Disposal consideration	
13.1. Waste treatment methods	· Dispose in a safe manner in accordance with local/notional regulations
Waste disposal recommendations Ecology - waste materials	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
SECTION 14: Transport information	1
In accordance with ADR / RID / IMDG / IATA /	ADN
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant	: No : No
Other information	No supplementary information available
14.6. Special precautions for user	
14.6.1. Overland transport	
14.6.2. Transport by sea	
14.6.3. Air transport	
14.6.4. Inland waterway transport	
Not subject to ADN	: No
14.6.5. Rail transport	
Carriage prohibited (RID)	: No
	nex II of MARPOL 73/78 and the IBC Code
Not applicable	

D.T. Light - Post

Safety Data Sheet

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulati	5.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
15.1.1. EU-Regulations	5.1.1. EU-Regulations		
Contains no substances with Annex XVII restrictions			
D.T. Light - Post is not on the REACH Candidate List			
Contains no substance on the REACH candidate list			
Contains no REACH Annex XIV substances.			
Contains no REACH Annex AIV substances.			
15.1.2. National regulations			
Germany			
-	- strongly hazardous to water		
15.2. Chemical safety assessment			
No chemical safety assessment has been carried out			
SECTION 16: Other information			
SECTION 10. Other information			
C m	EGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE OUNCIL of 16 December 2008 on classification, labelling and packaging of substances and ixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending egulation (EC) No 1907/2006.		
Other information : No	one.		
Full text of R-, H- and EUH-phrases:			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Resp. Sens. 1	Sensitisation — Respiratory, category 1		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Irrit. 2 STOT SE 3	Skin corrosion/irritation, Category 2 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
STOT SE 3 H315 H319	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
STOT SE 3 H315 H319 H334	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation Causes skin irritation		
STOT SE 3 H315 H319	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation Causes skin irritation Causes serious eye irritation		
STOT SE 3 H315 H319 H334	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation Causes skin irritation Causes serious eye irritation May cause allergy or asthma symptoms or breathing difficulties if inhaled		

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product