

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 6/29/2023 Supersedes: 4/18/2018 Version: 4.0

SECTION 1: Identification			
1.1. Identification			
Product form Product name	: Mixture : Core-Flo DC Catalyst		
1.2. Recommended use and restrictions on	use		
Use of the substance/mixture	: For Rx Only		
1.3. Supplier			
Manufacturer BISCO, Inc. 1100 W. Irving Park Rd. Schaumburg, IL , 60193 U.S.A. T 1-800-247-3368 or 1-847-534-6000 sales@bisco.com - www.bisco.com			
1.4. Emergency telephone number			
Emergency number	: CHEMTREC - 24-Hour Hazmat Emergency Communications Center Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted		
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mixtu	ure		
GHS US classification			
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Specific target organ toxicity - Single exposure, Cate Respiratory tract irritation Full text of H statements : see section 16	H315 Causes skin irritation H319 Causes serious eye irritation H317 May cause an allergic skin reaction gory 3, H335 May cause respiratory irritation		
2.2. GHS Label elements, including precaut	ionary statements		
GHS US labeling			
Hazard pictograms (GHS US)			
Signal word (GHS US) Hazard statements (GHS US)	 Warning H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritation 		
Precautionary statements (GHS US)	 P261 - Avoid breathing dust, fume, vapors. P264 - Wash hands thoroughly after handling P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of water and soap P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. 		
6/29/2023 (Revision date)	EN (English US) 1/11		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a poison center/a doctor if you feel unwell
P321 - Specific treatment (see First aid measures on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose in a safe manner in accordance with local/national regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
SG-35SRG4000CMP3	CAS-No.: NA	30 - 50	Eye Irrit. 2, H319 STOT SE 3, H335
BisGMA	CAS-No.: 1565-94-2	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335
Fused Silica	CAS-No.: 60676-86-0	10 - 30	Acute Tox. 4 (Inhalation:gas), H332 Skin Irrit. 2, H315
Triethylene Glycol Dimethacrylate	CAS-No.: 109-16-0	5 - 10	Skin Sens. 1B, H317
Benzoyl Peroxide	CAS-No.: 94-36-0	< 1	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures	
First-aid measures general	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed)	
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 May cause respiratory irritation. May cause an allergic skin reaction. Causes skin irritation. May cause eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam.	
5.2. Specific hazards arising from the chemical		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective eq	uipment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Avoid breathing dust, fume, vapors. Avoid contact with skin and eyes.	
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containme	ent and cleaning up	
Methods for cleaning up Other information	Mechanically recover the product.Dispose of materials or solid residues at an authorized site.	

6.4. Reference to other sections For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid breathing dust, fume, vapors. Avoid contact with skin and eyes.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection 8.1. Control parameters No additional information available 8.2. Appropriate engineering controls Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment. 8.3. Individual protection measures/Personal protective equipment Personal protective equipment: Avoid all unnecessary exposure. Hand protection: Protective gloves Eye protection: Safety glasses Skin and body protection: Wear suitable protective clothing **Respiratory protection:** In case of insufficient ventilation, wear suitable respiratory equipment Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Appearance Color Odor	: Solid : Paste. : White : Acrylic
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: > 38 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density Solubility Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosion limits Explosive properties	 Not applicable No data available No data available Not applicable Not applicable Not applicable No data available No data available Not applicable Not applicable Not applicable Not applicable
Explosion limits Explosive properties Oxidizing properties	 Not applicable No data available No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity		
10.1. Reactivity		
The product is non-reactive under normal conditions of use, storage and transport.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal conditions of use.		
10.4. Conditions to avoid		
None under recommended storage and handling conditions (see section 7).		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
Under normal conditions of storage and use, hazardous decomposition products should not be produced.		
SECTION 11: Toxicological information		
11.1 Information on toxicological effects		

Acute toxicity (dermal)	Not classified Not classified Not classified	
Triethylene Glycol Dimethacrylate (109-16-0)		
LD50 oral rat	10837 mg/kg Source: NLM,THOMSON	
LD50 dermal	> 2000 mg/kg body weight (US EPA, 14 day(s), Mouse, Male, Experimental value, Skin, 14 day(s))	
ATE US (oral)	10837 mg/kg body weight	
Benzoyl Peroxide (94-36-0)		
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Animal sex: male	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Fused Silica (60676-86-0)	
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit
LC50 Inhalation - Rat	> 2.08 mg/l air Animal: rat
ATE US (gases)	4500 ppmV/4h
	Causes skin irritation.
Triethylene Glycol Dimethacrylate (109-1	
pH	6.8 - 7.2
·	0.0 - 7.2
Benzoyl Peroxide (94-36-0)	
рН	No data available in the literature
Serious eye damage/irritation :	Causes serious eye irritation.
Triethylene Glycol Dimethacrylate (109-1	6-0)
рН	6.8 - 7.2
Benzoyl Peroxide (94-36-0)	
рН	No data available in the literature
	May cause an allergic skin reaction.
	Not classified
	Not classified
Triethylene Glycol Dimethacrylate (109-1	6-0)
IARC group	4 - Probably not carcinogenic to humans
Benzoyl Peroxide (94-36-0)	
IARC group	3 - Not classifiable
Fused Silica (60676-86-0)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	May cause respiratory irritation.
SG-35SRG4000CMP3 (NA)	
STOT-single exposure	May cause respiratory irritation.
BisGMA (1565-94-2)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Triethylene Glycol Dimethacrylate (109-1	6-0)
LOAEC (inhalation,rat,gas,90 days)	350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEC (inhalation,rat,gas,90 days)	100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:
Fused Silica (60676-86-0)	
NOAEL (oral,rat,90 days)	> 5000 mg/kg body weight Animal: rat, Animal sex: male
Aspiration hazard :	Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, kinematic :		Not applicable	
Benzoyl Peroxide (94-36-0)			
Viscosity, kinematic		No data available (test not performed)	
Symptoms/effects after inhalation : N		lay cause respiratory irritation.	
Symptoms/effects after skin contact : I		May cause an allergic skin reaction. Causes skin irritation.	
Symptoms/effects after eye contact : May cause eye irritation.		lay cause eye irritation.	

SECTION 12: Ecological information

12.1. Toxicity Ecology - general : Toxic to aquatic life. **BisGMA (1565-94-2)** 0.537 mg/l Source: ECOSAR LC50 - Fish [1] **Triethylene Glycol Dimethacrylate** (109-16-0) LC50 - Fish [1] 16.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) EC50 72h - Algae [1] > 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) 72.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: EC50 72h - Algae [2] Raphidocelis subcapitata, Selenastrum capricornutum) ErC50 algae > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration) LOEC (chronic) 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' NOEC (chronic) 32 mg/l Test organisms (species): Daphnia magna Duration: '21 d' **Benzoyl Peroxide (94-36-0)** LC50 - Fish [1] 0.0602 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP) 0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static EC50 - Crustacea [1] system, Fresh water, Experimental value, GLP) ErC50 algae 0.0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability

BisGMA (1565-94-2)			
Persistence and degradability	Biodegradability in water: no data available.		
Triethylene Glycol Dimethacrylate (109-16-0)			
Persistence and degradability Readily biodegradable in water.			
Benzoyl Peroxide (94-36-0)			
Persistence and degradability	Readily biodegradable in water.		
Fused Silica (60676-86-0)			
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Fused Silica (60676-86-0)		
ThOD	Not applicable (inorganic)	
12.3. Bioaccumulative potential		
BisGMA (1565-94-2)		
Partition coefficient n-octanol/water (Log Pow)	4.94 (Estimated value)	
Bioaccumulative potential	No bioaccumulation data available.	
Triethylene Glycol Dimethacrylate (109-1	6-0)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Benzoyl Peroxide (94-36-0)		
Partition coefficient n-octanol/water (Log Pow)	3.2 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Fused Silica (60676-86-0)		
Bioaccumulative potential	No bioaccumulation data available.	
12.4. Mobility in soil		

Organic Carbon Normalized Adsorption Coefficient (Log Koc)1.89 (log Koc, SRC PCKOCWIN v2.0, Calculated value)Ecology - soilHighly mobile in soil.Benzoyl Peroxide (94-36-0)No data available (test not performed)Surface tensionNo data available (test not performed)Organic Carbon Normalized Adsorption Coefficient (Log Koc)3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)Ecology - soilLow potential for mobility in soil.Fused Silica (60676-86-0)No (test)data on mobility of the substance available.	Triethylene Glycol Dimethacrylate (109-16-0)			
Benzoyl Peroxide (94-36-0) Surface tension No data available (test not performed) Organic Carbon Normalized Adsorption Coefficient (Log Koc) 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) Ecology - soil Low potential for mobility in soil.		1.89 (log Koc, SRC PCKOCWIN v2.0, Calculated value)		
Surface tension No data available (test not performed) Organic Carbon Normalized Adsorption Coefficient (Log Koc) 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) Ecology - soil Low potential for mobility in soil.	Ecology - soil	Highly mobile in soil.		
Organic Carbon Normalized Adsorption Coefficient (Log Koc) 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) Ecology - soil Low potential for mobility in soil. Fused Silica (60676-86-0)	Benzoyl Peroxide (94-36-0)			
(Log Koc) Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) Ecology - soil Low potential for mobility in soil. Fused Silica (60676-86-0)	Surface tension	No data available (test not performed)		
Fused Silica (60676-86-0)				
	Ecology - soil	Low potential for mobility in soil.		
Ecology - soil No (test)data on mobility of the substance available.	Fused Silica (60676-86-0)			
	Ecology - soil	No (test)data on mobility of the substance available.		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	s
13.1. Disposal methods	
Waste treatment methods Ecology - waste materials	Dispose of contents/container in accordance with licensed collector's sorting instructions.Avoid release to the environment.

SECTION 14: Transport information	
In accordance with DOT / TDG / IMDG / IATA	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Not applicable Not applicable Not applicable Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
TDG Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	 Not applicable Not applicable Not applicable Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT No data available	
TDG No data available	
IMDG No data available	
IATA No data available	
14.7. Transport in bulk according to Ann	nex II of MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	1
15.1. US Federal regulations	

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SG-35SRG4000CMP3	CAS-No. NA	30 - 50%			
3G-333KG4000CIVIF3	CAS-NU. NA	30 - 50 %			
Chemical(s) subject to the reporting requirements of Se and 40 CFR Part 372.	Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.				
Dibenzoyl Peroxide, technically pure	ibenzoyl Peroxide, technically pure CAS-No. 94-36-0 <1%				
15.2. International regulations					
CANADA					
BisGMA (1565-94-2)					
Listed on the Canadian DSL (Domestic Substances List)				
Triethylene Glycol Dimethacrylate (109-1	6-0)				
Listed on the Canadian DSL (Domestic Substances List)				
Benzoyl Peroxide (94-36-0)					
Listed on the Canadian DSL (Domestic Substances List)				
Fused Silica (60676-86-0)					
Listed on the Canadian DSL (Domestic Substances List)					
EU-Regulations					
No additional information available					
National regulations					
Fused Silica (60676-86-0)					
Listed on INSQ (Mexican National Inventory of Chemical Substances)					
15.3. US State regulations					

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations	
Benzoyl Peroxide (94-36-0)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List	
Fused Silica (60676-86-0)	U.S New Jersey - Right to Know Hazardous Substance List	

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 06/29/2023

Full text of H-phra	Full text of H-phrases		
H241	Heating may cause a fire or explosion		
H315 Causes skin irritation			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases		
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	

Indication of changes:			
Section	Changed item	Change	Comments
	Revision date	Added	
	Signal word (GHS US)	Added	
	Precautionary statements (GHS US)	Modified	
	Supersedes	Added	
	Issue date	Removed	
2.1	GHS-US classification	Modified	
3	Composition/Information on ingredients	Modified	
4	First-aid measures after inhalation	Modified	
6	Emergency procedures	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Storage conditions	Modified	

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.