

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 6/29/2023 Supersedes: 4/18/2018 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : Core-Flo DC Lite Base

1.2. Recommended use and restrictions on use

Use of the substance/mixture : For Rx Only

1.3. Supplier

Manufacturer

BISCO, Inc.

1100 W. Irving Park Rd. Schaumburg, IL , 60193

U.S.A.

T 1-800-247-3368 or 1-847-534-6000 sales@bisco.com - www.bisco.com

1.4. Emergency telephone number

Emergency number : CHEMTREC - 24-Hour Hazmat Emergency Communications Center

Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

H315

Causes skin irritation

Causes serious eye irritation

Causes serious eye irritation

May cause an allergic skin reaction

Specific target organ toxicity - Single exposure, Category 3,

H335

May cause respiratory irritation

Respiratory tract irritation

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
: P261 - Avoid breathing dust, fume, vapors.

Precautionary statements (GHS US) : P261 - Avoid breathing dust, fume, vapors.
P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - If on skin: Wash with plenty of water and soap

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a poison center/a doctor if you feel unwell

P321 - Specific treatment (see First aid measures on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P501 - Dispose in a safe manner in accordance with local/national regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Glass Filler	CAS-No.: N/A	30 - 50	Eye Irrit. 2, H319 STOT SE 3, H335
Ethoxylated Bis A Dimethacrylate	CAS-No.: 41637-38-1	10 - 30	Aquatic Chronic 4, H413
Fused Silica	CAS-No.: 60676-86-0	10 - 30	Acute Tox. 4 (Inhalation:gas), H332 Skin Irrit. 2, H315
BisGMA	CAS-No.: 1565-94-2	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335
Triethylene Glycol Dimethacrylate	CAS-No.: 109-16-0	5 - 10	Skin Sens. 1B, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water

for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : May cause eye irritation.

6/29/2023 (Revision date) EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust, fume, vapors.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment. Avoid breathing dust, fume, vapors.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

6/29/2023 (Revision date) EN (English US) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Appearance : Paste.

Color : Brown / White to off-white

Odor : Acrylic

Odor threshold : No data available No data available pН Melting point No data available Freezing point Not applicable Boiling point No data available Flash point Not applicable Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20°C : No data available Relative density : Not applicable : No data available Solubility Partition coefficient n-octanol/water (Log Pow) No data available Not applicable Auto-ignition temperature

Decomposition temperature : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic : No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion limits : Not applicable Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Ethoxylated Bis A Dimethacrylate (41637-38-1)			
LD50 oral rat	> 2000 mg/kg Source: ECHA		
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Readacross, Dermal, 15 day(s))		
Triethylene Glycol Dimethacrylate (109-16-0)			
LD50 oral rat	10837 mg/kg Source: NLM,THOMSON		
LD50 dermal	> 2000 mg/kg body weight (US EPA, 14 day(s), Mouse, Male, Experimental value, Skin, 14 day(s))		
ATE US (oral)	10837 mg/kg body weight		
Fused Silica (60676-86-0)			
LD50 dermal rabbit	> 5000 mg/kg body weight Animal: rabbit		
LC50 Inhalation - Rat	> 2.08 mg/l air Animal: rat		
ATE US (gases)	4500 ppmV/4h		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation :	Causes skin irritation.
Ethoxylated Bis A Dimethacrylate (41637-38-1	
pH	4.7 (< 0.01 %, 20 °C, OECD 105: Water Solubility)
Triethylene Glycol Dimethacrylate (109-16-0)	
pH	6.8 - 7.2
<u>'</u>	Causes serious eye irritation.
Ethoxylated Bis A Dimethacrylate (41637-38-1	
pH	4.7 (< 0.01 %, 20 °C, OECD 105: Water Solubility)
Triethylene Glycol Dimethacrylate (109-16-0)	
pH	6.8 - 7.2
<u>'</u>	May cause an allergic skin reaction.
	Not classified
3 ,	Not classified
Fused Silica (60676-86-0)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
	May cause respiratory irritation.
BisGMA (1565-94-2)	
STOT-single exposure	May cause respiratory irritation.
Glass Filler (N/A)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Triethylene Glycol Dimethacrylate (109-16-0)	
LOAEC (inhalation,rat,gas,90 days)	350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEC (inhalation,rat,gas,90 days)	100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:
Fused Silica (60676-86-0)	
NOAEL (oral,rat,90 days)	> 5000 mg/kg body weight Animal: rat, Animal sex: male
•	Not classified Not applicable
Ethoxylated Bis A Dimethacrylate (41637-38-1)
Viscosity, kinematic	No data available in the literature
	Irritation. May cause an allergic skin reaction. May cause eye irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Ethoxylated Bis A Dimethacrylate (41637-38-1)			
LC50 - Fish [1]	> 100 mg/l Source: ECAH		
EC50 72h - Algae [1]	> 100 mg/l Source: ECAH		
BisGMA (1565-94-2)			
LC50 - Fish [1]	0.537 mg/l Source: ECOSAR		
Triethylene Glycol Dimethacrylate (109-16-0)			
LC50 - Fish [1]	16.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 72h - Algae [2]	72.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)		
LOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC (chronic)	32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		

12.2. Persistence and degradability

Ethoxylated Bis A Dimethacrylate (41637-38-1)			
Persistence and degradability	Not readily biodegradable in water.		
BisGMA (1565-94-2)			
Persistence and degradability	Biodegradability in water: no data available.		
Triethylene Glycol Dimethacrylate (109-16-0)			
Persistence and degradability	Readily biodegradable in water.		
Fused Silica (60676-86-0)			
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		

12.3. Bioaccumulative potential

Ethoxylated Bis A Dimethacrylate (41637-38-1)		
Partition coefficient n-octanol/water (Log Pow)	5.62 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)	
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).	
BisGMA (1565-94-2)		
Partition coefficient n-octanol/water (Log Pow)	4.94 (Estimated value)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BisGMA (1565-94-2)			
Bioaccumulative potential	No bioaccumulation data available.		
Triethylene Glycol Dimethacrylate (109-16-0)			
Partition coefficient n-octanol/water (Log Pow)	2.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
Fused Silica (60676-86-0)			
Bioaccumulative potential	No bioaccumulation data available.		

12.4. Mobility in soil

Ethoxylated Bis A Dimethacrylate (41637-38-1)			
Surface tension	No data available in the literature		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.56 - 3.88 (log Koc, Calculated value)		
Ecology - soil	Low potential for mobility in soil.		
Triethylene Glycol Dimethacrylate (109-16-0)			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.89 (log Koc, SRC PCKOCWIN v2.0, Calculated value)		
Ecology - soil	Highly mobile in soil.		
Fused Silica (60676-86-0)			
Ecology - soil	No (test)data on mobility of the substance available.		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Glass Filler CAS-No. N/A 30 - 50%

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

Glass Filler CAS-No. N/A 30 - 50%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

Ethoxylated Bis A Dimethacrylate (41637-38-1)

Listed on the Canadian DSL (Domestic Substances List)

BisGMA (1565-94-2)

Listed on the Canadian DSL (Domestic Substances List)

Triethylene Glycol Dimethacrylate (109-16-0)

Listed on the Canadian DSL (Domestic Substances List)

Fused Silica (60676-86-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Triethylene Glycol Dimethacrylate (109-16-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Fused Silica (60676-86-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component State or local regulations		State or local regulations
Fused Silica	(60676-86-0)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 06/29/2023

Full text of H-phrases		
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H335	May cause respiratory irritation	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phra	ises
H413	May cause long lasting harmful effects to aquatic life

Indication of changes:				
Section	Changed item	Change	Comments	
	Revision date	Added		
	Signal word (GHS US)	Added		
	Precautionary statements (GHS US)	Modified		
	Supersedes	Added		
	Issue date	Removed		
	Hazard statements (GHS US)	Modified		
2.1	GHS-US classification	Modified		
3	Composition/Information on ingredients	Modified		
4	Symptoms/effects after eye contact	Modified		
4	First-aid measures after eye contact	Modified		
6	Emergency procedures	Modified		
7.1	Precautions for safe handling	Modified		

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.