



# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Revision date: 6/14/2023 Supersedes: 3/2/2018 Version: 3.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : Duo-Link Universal Base

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : For Rx Only

#### 1.3. Supplier

##### Manufacturer

BISCO, Inc.  
1100 W. Irving Park Rd.  
Schaumburg, IL , 60193  
U.S.A.  
T 1-800-247-3368 or 1-847-534-6000  
[sales@bisco.com](mailto:sales@bisco.com) - [www.bisco.com](http://www.bisco.com)

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - 24-Hour Hazmat Emergency Communications Center  
Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation

Precautionary statements (GHS US) :

P261 - Avoid breathing dust, fume, vapors.  
P264 - Wash hands thoroughly after handling  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302+P352 - If on skin: Wash with plenty of water and soap  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a poison center/a doctor if you feel unwell

P321 - Specific treatment (see First aid measures on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P501 - Dispose in a safe manner in accordance with local/national regulations

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Ytterbium Fluoride	CAS-No.: 13760-80-0	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Urethane Dimethacrylate	CAS-No.: Proprietary	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335
BisGMA	CAS-No.: 1565-94-2	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335
Triethylene Glycol Dimethacrylate	CAS-No.: 109-16-0	5 - 10	Skin Sens. 1B, H317
Ytterbium Oxide-Silica	CAS-No.: NA	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Tetrahydrofurfuryl Methacrylate	CAS-No.: 2455-24-5	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Trimethylolpropane Trimethacrylate	CAS-No.: 3290-92-4	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
------------------------------	----------------------------------

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust, fume, vapors.
----------------------	--

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust, fume, vapors.
-------------------------------	--

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

<b>Hand protection:</b>
Protective gloves
<b>Eye protection:</b>
Safety glasses
<b>Skin and body protection:</b>
Wear suitable protective clothing
<b>Respiratory protection:</b>
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid  
Appearance : Paste.  
Color : Light yellow / Milky white  
Odor : Acrylic  
Odor threshold : No data available  
pH : No data available  
Melting point : No data available  
Freezing point : Not applicable  
Boiling point : No data available  
Flash point : Not applicable  
Relative evaporation rate (butyl acetate=1) : No data available  
Flammability (solid, gas) : Non flammable.  
Vapor pressure : No data available

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20°C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Triethylene Glycol Dimethacrylate (109-16-0)	
LD50 oral rat	10837 mg/kg Source: NLM, THOMSON
LD50 dermal	> 2000 mg/kg body weight (US EPA, 14 day(s), Mouse, Male, Experimental value, Skin, 14 day(s))
ATE US (oral)	10837 mg/kg body weight

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Ytterbium Fluoride (13760-80-0)</b>	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
<b>Tetrahydrofurfuryl Methacrylate (2455-24-5)</b>	
LD50 oral rat	≈ 4000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
<b>Trimethylolpropane Trimethacrylate (3290-92-4)</b>	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal rabbit	17120 mg/kg (Rabbit)
ATE US (dermal)	17120 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
pH	6.8 - 7.2
<b>Ytterbium Fluoride (13760-80-0)</b>	
pH	4.53 Temp.: 20 °C
<b>Tetrahydrofurfuryl Methacrylate (2455-24-5)</b>	
pH	No data available in the literature
<b>Trimethylolpropane Trimethacrylate (3290-92-4)</b>	
pH	5.7 (20.1 mg/l, 20 °C, OECD 105: Water Solubility)
Serious eye damage/irritation	: Causes serious eye irritation.
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
pH	6.8 - 7.2
<b>Ytterbium Fluoride (13760-80-0)</b>	
pH	4.53 Temp.: 20 °C
<b>Tetrahydrofurfuryl Methacrylate (2455-24-5)</b>	
pH	No data available in the literature
<b>Trimethylolpropane Trimethacrylate (3290-92-4)</b>	
pH	5.7 (20.1 mg/l, 20 °C, OECD 105: Water Solubility)
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>Ytterbium Fluoride (13760-80-0)</b>	
IARC group	4 - Probably not carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
<b>Urethane Dimethacrylate (Proprietary)</b>	
STOT-single exposure	: May cause respiratory irritation.

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Ytterbium Oxide-Silica (NA)</b>	
STOT-single exposure	May cause respiratory irritation.
<b>Tetrahydrofurfuryl Methacrylate (2455-24-5)</b>	
STOT-single exposure	May cause respiratory irritation.
<b>BisGMA (1565-94-2)</b>	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
LOAEC (inhalation, rat, gas, 90 days)	350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:
NOAEL (oral, rat, 90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEC (inhalation, rat, gas, 90 days)	100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:
<b>Trimethylolpropane Trimethacrylate (3290-92-4)</b>	
LOAEL (oral, rat, 90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg body weight Animal: rabbit
NOAEL (oral, rat, 90 days)	300 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg body weight Animal: rabbit
Aspiration hazard	: Not classified
Viscosity, kinematic	: Not applicable
<b>Tetrahydrofurfuryl Methacrylate (2455-24-5)</b>	
Viscosity, kinematic	2.74 mm <sup>2</sup> /s (20 °C, OECD 114: Viscosity of Liquids)
<b>Trimethylolpropane Trimethacrylate (3290-92-4)</b>	
Viscosity, kinematic	6.166 mm <sup>2</sup> /s
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
LC50 - Fish [1]	16.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	72.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
LOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
<b>Ytterbium Fluoride (13760-80-0)</b>	
EC50 - Crustacea [1]	> 0.52 mg/l Test organisms (species): Daphnia magna
<b>Tetrahydrofurfuryl Methacrylate (2455-24-5)</b>	
LC50 - Fish [1]	34.7 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	97.3 mg/l (Invertebrata, Fresh water)
LC50 - Fish [2]	60.9 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
LOEC (chronic)	97.3 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	37.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
<b>Trimethylolpropane Trimethacrylate (3290-92-4)</b>	
LC50 - Fish [1]	0.731 mg/l Source: Ecological Structure Activity Relationships
EC50 - Crustacea [1]	> 9.22 mg/l Test organisms (species): Daphnia magna
ErC50 algae	3.88 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
<b>BisGMA (1565-94-2)</b>	
LC50 - Fish [1]	0.537 mg/l Source: ECOSAR
<b>12.2. Persistence and degradability</b>	
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>Ytterbium Oxide-Silica (NA)</b>	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
<b>Tetrahydrofurfuryl Methacrylate (2455-24-5)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>Trimethylolpropane Trimethacrylate (3290-92-4)</b>	
Persistence and degradability	Not readily biodegradable in water. Inherently biodegradable.

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>BisGMA (1565-94-2)</b>	
Persistence and degradability	Biodegradability in water: no data available.
<b>12.3. Bioaccumulative potential</b>	
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>Ytterbium Fluoride (13760-80-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.22 Source: EPISUITE
<b>Ytterbium Oxide-Silica (NA)</b>	
Bioaccumulative potential	No bioaccumulation data available.
<b>Tetrahydrofurfuryl Methacrylate (2455-24-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	1.76 (Experimental value, EU Method A.8: Partition Coefficient, 22.6 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>Trimethylolpropane Trimethacrylate (3290-92-4)</b>	
BCF - Fish [1]	270.1 l/kg (BCFBAF v3.01, Pisces, Fresh water, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	4.193 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \leq \text{Log Kow} \leq 5$ ).
<b>BisGMA (1565-94-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	4.94 (Estimated value)
Bioaccumulative potential	No bioaccumulation data available.
<b>12.4. Mobility in soil</b>	
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.89 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>Ytterbium Oxide-Silica (NA)</b>	
Ecology - soil	Adsorbs into the soil.
<b>Tetrahydrofurfuryl Methacrylate (2455-24-5)</b>	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.402 - 1.765 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
<b>Trimethylolpropane Trimethacrylate (3290-92-4)</b>	
Surface tension	53 mN/m (20 °C, 0.951 g/l, OECD 115: Surface Tension of Aqueous Solutions)

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Trimethylolpropane Trimethacrylate (3290-92-4)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.245 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Ecology - soil	Low potential for mobility in soil.

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

### 14.1. UN number

Not regulated for transport

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable  
Proper Shipping Name (TDG) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable

### 14.3. Transport hazard class(es)

**DOT**  
Transport hazard class(es) (DOT) : Not applicable

**TDG**  
Transport hazard class(es) (TDG) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

### 14.4. Packing group

Packing group (DOT) : Not applicable  
Packing group (TDG) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available.

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 14.6. Special precautions for user

#### DOT

No data available

#### TDG

No data available

#### IMDG

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Urethane Dimethacrylate	CAS-No. Proprietary	10 - 30%
-------------------------	---------------------	----------

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### CANADA

##### Triethylene Glycol Dimethacrylate (109-16-0)

Listed on the Canadian DSL (Domestic Substances List)

##### Ytterbium Fluoride (13760-80-0)

Listed on the Canadian NDSL (Non-Domestic Substances List)

##### Tetrahydrofurfuryl Methacrylate (2455-24-5)

Listed on the Canadian DSL (Domestic Substances List)

##### Trimethylolpropane Trimethacrylate (3290-92-4)

Listed on the Canadian DSL (Domestic Substances List)

##### BisGMA (1565-94-2)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

# Duo-Link Universal Base

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### National regulations

#### Triethylene Glycol Dimethacrylate (109-16-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Tetrahydrofurfuryl Methacrylate (2455-24-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 06/14/2023

### Full text of H-phrases

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation

### Indication of changes:

Section	Changed item	Change	Comments
	Revision date	Added	
	Signal word (GHS US)	Added	
	Precautionary statements (GHS US)	Modified	
	Hazard statements (GHS US)	Modified	
	Issue date	Removed	
	Supersedes	Added	
2.1	GHS-US classification	Modified	
3	Composition/Information on ingredients	Modified	

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.