



# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Revision date: 1/21/2025 Supersedes version of: 3/16/2023 Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : TheraCem Ca Catalyst

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Use of the substance/mixture : For Rx Only

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

BISCO, Inc.  
1100 W. Irving Park Rd.  
60193 Schaumburg, IL  
U.S.A  
T 1-800-247-3368 or 1-847-534-6000  
[sales@bisco.com](mailto:sales@bisco.com) - [www.bisco.com](http://www.bisco.com)

##### EC REP

BISICO France  
208, allée de la Coudoulette  
13680 Lançon de Provence  
France  
T 33-4-90-42-92-92

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC - 24-Hour Hazmat Emergency Communications Center  
Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Specific target organ toxicity - Single exposure, Category 3,	H335
Respiratory tract irritation	

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Contains :

Tert-butyl Peroxybenzoate; Triethylene Glycol Dimethacrylate; Glass Filler; Diphenyl Sulfone Dimethacrylate

Hazard statements (CLP) :

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H335 - May cause respiratory irritation.

Precautionary statements (CLP) :

P261 - Avoid breathing dust, fume, vapours.  
P264 - Wash hands thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves, protective clothing, eye protection.

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a POISON CENTER, doctor if you feel unwell.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation, a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Tert-butyl Peroxybenzoate (614-45-9), Aluminum Oxide (1344-28-1), 2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0), Triethylene Glycol Dimethacrylate (109-16-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Tert-butyl Peroxybenzoate (614-45-9), Aluminum Oxide (1344-28-1), 2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0), Triethylene Glycol Dimethacrylate (109-16-0)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Glass Filler	CAS-No.: N/A	50 - 75	Eye Irrit. 2, H319 STOT SE 3, H335
10-Methacryloyloxydecyl Dihydrogen Phosphate	CAS-No.: 85590-00-7	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Triethylene Glycol Dimethacrylate	CAS-No.: 109-16-0 EC-No.: 203-652-6	10 - 30	Skin Sens. 1B, H317
Diphenyl Sulfone Dimethacrylate	CAS-No.: N/A	5 - 10	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335
Silicon Dioxide	CAS-No.: 112945-52-5	1 - 5	Not classified
Tert-butyl Peroxybenzoate	CAS-No.: 614-45-9 EC-No.: 210-382-2	1 - 5	Org. Perox. C, H242 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Aluminum Oxide	CAS-No.: 1344-28-1 EC-No.: 215-691-6	< 1	Not classified

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,6-Di-Tert-Butyl-4-Methylphenol	CAS-No.: 128-37-0 EC-No.: 204-881-4	< 1	Aquatic Acute 1, H400

Full text of H- and EUH-statements: see section 16

### Components - Nanoform

Aluminum Oxide (1344-28-1)	
Name of (set of) nanoform(s)	Aluminum Oxide
Number based particle size distribution	10 - 13 nm
Particle shape	Crystal
Specific surface area	85 - 115 m <sup>2</sup> /g
Silicon Dioxide (112945-52-5)	
Name of (set of) nanoform(s)	Silicon Dioxide
Number based particle size distribution	40 nm
Particle shape	Crystal
Specific surface area	50 m <sup>2</sup> /g

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
------------------------------	----------------------------------

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust, fume, vapours.

##### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid breathing dust, fume, vapours. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

##### Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protection equipment

##### Personal protective equipment symbol(s):



# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Eye and face protection

#### Eye protection:

Safety glasses

### Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

### Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: White Opaque.
Appearance	: Viscous Resin Paste.
Odour	: Acrylic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not applicable
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

See section 3 for more information about nano properties.

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Tert-butyl Peroxybenzoate (614-45-9)

LD50 oral rat	1012 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Skin, 14 day(s))

#### Aluminum Oxide (1344-28-1)

LD50 oral rat	> 10000 mg/kg Source: ECHA
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 2.3 mg/l Source: ECHA

#### 2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)

LD50 oral rat	> 6000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2000 mg/kg Source: ECHA
LC50 Inhalation - Rat (Dust/Mist)	> 2 mg/l Source: OSHRI GLP toxicity test

#### Silicon Dioxide (112945-52-5)

LD50 oral rat	> 5000 mg/kg (Rat, Literature study, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Literature study, Dermal)

#### Triethylene Glycol Dimethacrylate (109-16-0)

LD50 oral rat	10837 mg/kg Source: NLM, THOMSON
LD50 dermal	> 2000 mg/kg bodyweight (US EPA, 14 day(s), Mouse, Male, Experimental value, Skin, 14 day(s))

Skin corrosion/irritation : Causes skin irritation.

#### Tert-butyl Peroxybenzoate (614-45-9)

pH	No data available in the literature
----	-------------------------------------

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Aluminum Oxide (1344-28-1)</b>	
pH	No data available in the literature
<b>2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)</b>	
pH	No data available in the literature
<b>Silicon Dioxide (112945-52-5)</b>	
pH	3.6 - 4.5 (4 %)
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
pH	6.8 - 7.2
Serious eye damage/irritation	: Causes serious eye irritation.
<b>Tert-butyl Peroxybenzoate (614-45-9)</b>	
pH	No data available in the literature
<b>Aluminum Oxide (1344-28-1)</b>	
pH	No data available in the literature
<b>2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)</b>	
pH	No data available in the literature
<b>Silicon Dioxide (112945-52-5)</b>	
pH	3.6 - 4.5 (4 %)
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
pH	6.8 - 7.2
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)</b>	
IARC group	3 - Not classifiable
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
IARC group	4 - Probably not carcinogenic to humans
<b>2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)</b>	
NOAEL (chronic, oral, animal/male, 2 years)	25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
<b>10-Methacryloyloxydecyl Dihydrogen Phosphate (85590-00-7)</b>	
STOT-single exposure	May cause respiratory irritation.
<b>Glass Filler (N/A)</b>	
STOT-single exposure	May cause respiratory irritation.
<b>Diphenyl Sulfone Dimethacrylate (N/A)</b>	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
<b>Tert-butyl Peroxybenzoate (614-45-9)</b>	
NOAEL (oral, rat, 90 days)	≈ 30 mg/kg bodyweight Animal: rat, Guideline: other:

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aluminum Oxide (1344-28-1)	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.015 mg/l air Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)
Triethylene Glycol Dimethacrylate (109-16-0)	
LOAEC (inhalation, rat, gas, 90 days)	350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEC (inhalation, rat, gas, 90 days)	100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other:

Aspiration hazard : Not classified

TheraCem Ca Catalyst	
Viscosity, kinematic	Not applicable
Tert-butyl Peroxybenzoate (614-45-9)	
Viscosity, kinematic	No data available in the literature
Aluminum Oxide (1344-28-1)	
Viscosity, kinematic	Not applicable (solid)
2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)	
Viscosity, kinematic	3.47 mm <sup>2</sup> /s (0 °C, ASTM D445: Capillary viscometer)
Silicon Dioxide (112945-52-5)	
Viscosity, kinematic	Not applicable

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

10-Methacryloyloxydecyl Dihydrogen Phosphate (85590-00-7)	
NOEC chronic fish	48h 10 mg/l
Tert-butyl Peroxybenzoate (614-45-9)	
LC50 - Fish [1]	1.6 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	11 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	0.8 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Aluminum Oxide (1344-28-1)</b>	
LC50 - Fish [1]	0.078 - 0.108 mg/l Source: ECHA
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)
EC50 72h - Algae [1]	1.05 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 0.024 mg/l Source: ECHA
ErC50 algae	> 100 mg/l

<b>2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)</b>	
LC50 - Fish [1]	> 0.57 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	0.199 mg/l (LC50; ECOSAR v1.00; 96 h; Pisces)
EC50 - Crustacea [1]	0.48 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	0.15 mg/l (NOEC; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
EC50 72h - Algae [1]	> 0.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.023 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
LC50 - Fish [1]	16.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	72.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
LOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

## 12.2. Persistence and degradability

<b>TheraCem Ca Catalyst</b>	
Persistence and degradability	Rapidly degradable

<b>10-Methacryloyloxydecyl Dihydrogen Phosphate (85590-00-7)</b>	
Persistence and degradability	Rapidly degradable

<b>Tert-butyl Peroxybenzoate (614-45-9)</b>	
Persistence and degradability	Readily biodegradable in water.
ThOD	2.14 g O <sub>2</sub> /g substance

<b>Aluminum Oxide (1344-28-1)</b>	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Aluminum Oxide (1344-28-1)</b>	
BOD (% of ThOD)	Not applicable
<b>2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)</b>	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.51 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.27 g O <sub>2</sub> /g substance
ThOD	2.977 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.17
<b>Silicon Dioxide (112945-52-5)</b>	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
Persistence and degradability	Readily biodegradable in water.
<b>Glass Filler (N/A)</b>	
Persistence and degradability	Rapidly degradable
<b>Diphenyl Sulfone Dimethacrylate (N/A)</b>	
Persistence and degradability	Not established.
<b>12.3. Bioaccumulative potential</b>	
<b>Tert-butyl Peroxybenzoate (614-45-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>Aluminum Oxide (1344-28-1)</b>	
Bioaccumulative potential	No bioaccumulation data available.
<b>2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	5.1
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).
<b>Silicon Dioxide (112945-52-5)</b>	
Bioaccumulative potential	Not bioaccumulative.
<b>Triethylene Glycol Dimethacrylate (109-16-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>Diphenyl Sulfone Dimethacrylate (N/A)</b>	
Bioaccumulative potential	Not established.

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.4. Mobility in soil

#### Tert-butyl Peroxybenzoate (614-45-9)

Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.3 (log Koc, QSAR, Calculated value)
Ecology - soil	Low potential for adsorption in soil.

#### Aluminum Oxide (1344-28-1)

Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.

#### 2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0)

Surface tension	Not applicable (water solubility < 1 mg/l)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.4 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Ecology - soil	Low potential for mobility in soil. May be harmful to plant growth, blooming and fruit formation.

#### Triethylene Glycol Dimethacrylate (109-16-0)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.89 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Results of PBT and vPvB assessment

#### Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Tert-butyl Peroxybenzoate (614-45-9), Aluminum Oxide (1344-28-1), 2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0), Triethylene Glycol Dimethacrylate (109-16-0)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Tert-butyl Peroxybenzoate (614-45-9), Aluminum Oxide (1344-28-1), 2,6-Di-Tert-Butyl-4-Methylphenol (128-37-0), Triethylene Glycol Dimethacrylate (109-16-0)

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

#### IATA

Transport hazard class(es) (IATA) : Not applicable

#### ADN

Transport hazard class(es) (ADN) : Not applicable

#### RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU-Regulations

###### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

###### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

###### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

###### Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items: Aluminium oxide (1344-28-1).

###### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

###### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

#### Indication of changes

Section	Changed item	Comments
	Revision date	<b>Modified</b>
	Supersedes version of	<b>Modified</b>
2.2	Precautionary statements (CLP)	<b>Modified</b>
3	Composition/information on ingredients	<b>Modified</b>

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H242	Heating may cause a fire.

# TheraCem Ca Catalyst

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Org. Perox. C	Organic Peroxides, Type C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.