

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/13/2018 Version: 1.0

## **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Product name : Bis-Core Catalyst

1.2. Recommended use and restrictions on use

Use of the substance/mixture : For RX only

1.3. Supplier

Manufacturer

Bisco, Inc. 1100 W. Irving Park Rd. Schaumburg, IL 60193

T 1.847.534.6000 - F 1.847.891.5049 sales@bisco.com - www.bisco.com

1.4. Emergency telephone number

Emergency number : CHEMTREC - 24-Hour Hazmat Emergency Communications Center

Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Skin corrosion/irritation H315 Causes skin irritation

Category 2

Serious eye damage/eye H320 Causes eye irritation

irritation Category 2B

Skin sensitization, Category H317 May cause an allergic skin reaction

OKIII S

Full text of H statements : see section 16

### 2.2. GHS Label elements, including precautionary statements

## **GHS-US** labeling

Hazard pictograms (GHS-US)



Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H320 - Causes eye irritation

Precautionary statements (GHS-US) : P261 - Avoid breathing vapors

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace

P280 - Wear protective gloves, face protection, eye protection

P302+P352 - If on skin: Wash with plenty of Wash skin with soap and water

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P321 - Specific treatment (see First aid measures on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse

P363 - Wash contaminated clothing before reuse

P501 - Dispose in a safe manner in accordance with local/national regulations

### 2.3. Other hazards which do not result in classification

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

02/23/2018 EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
BisGMA	(CAS-No.) 1565-94-2	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1, H317
Fused Silica	(CAS-No.) 60675-86-0	10 - 30	Skin Irrit. 2, H315
Dibenzoyl Peroxide, technically pure	(CAS-No.) 94-36-0	< 1	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Mild eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

### 5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist, vapors.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

02/23/2018 EN (English US) 2/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

Hygiene measures

Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment. Avoid breathing mist, vapors.

 Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Dibenzoyl Peroxide, technically pure (94-36-0)		
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ ((Dibenzoyl Peroxide; France; Time-weighted average exposure limit 8 h); USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)
BisGMA (1565-94-2)		
Not applicable		
Fused Silica	(60675-86-0)	
Not applicable		

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Protective gloves

### Eye protection:

Protective goggles

### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Paste
Color : Opaque
Odor : Acrylic

Odor threshold : No data available : No data available рΗ Melting point No data available Freezing point : Not applicable **Boiling point** : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available

02/23/2018 EN (English US) 3/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: No data available Relative vapor density at 20 °C Relative density : Not applicable Solubility No data available Log Pow : No data available : Not applicable Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic No data available **Explosion limits** Not applicable Explosive properties : No data available Oxidizing properties : No data available

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

## Dibenzoyl Peroxide, technically pure (94-36-0)

LD50 oral rat > 5000 mg/kg (Rat)

Fused Silica (60675-86-0)	
ruseu Silica (60075-66-0)	
LD50 oral rat	N/A
LD50 dermal rat	N/A
LD50 dermal rabbit	N/A
LC50 inhalation rat (ppm)	N/A

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

## Dibenzoyl Peroxide, technically pure (94-36-0)

IARC group 3 - Not classifiable

## Fused Silica (60675-86-0)

IARC group 4 - Probably not carcinogenic to humans

Reproductive toxicity : Not classified Specific target organ toxicity – single exposure : Not classified

02/23/2018 EN (English US) 4/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Fused Silica (60675-86-0)	
LOAEL (oral,rat)	N/A mg/kg body weight
LOAEL (dermal,rat/rabbit)	N/A mg/kg body weight
LOAEC (inhalation,rat,gas)	N/A ppmV/4h
LOAEC (inhalation,rat,vapour )	N/A mg/l/4h
LOAEC (inhalation,rat,dust/mist/fume)	N/A mg/l/4h

Specific target organ toxicity – repeated : Not classified

exposure

Fused Silica (60675-86-0)	
LOAEL (oral,rat,90 days)	N/A mg/kg bodyweight/day
LOAEL (dermal,rat/rabbit,90 days)	N/A mg/kg bodyweight/day
LOAEC (inhalation,rat,gas,90 days)	N/A ppmV/6h/day
LOAEC (inhalation,rat,vapour,90 days)	N/A mg/l/6h/day
LOAEC (inhalation,rat,dust/mist/fume,90 days)	N/A mg/l/6h/day

Aspiration hazard : Not classified

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Mild eye irritation.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Dibenzoyl Peroxide, technically pure (94-36-0	
LC50 fish 1	2 mg/l (LC50; 96 h; Poecilia reticulata)

## 12.2. Persistence and degradability

Dibenzoyl Peroxide, technically pure (94-36-0)	
Persistence and degradability	Readily biodegradable in water. No (test)data on mobility of the substance available.

## 12.3. Bioaccumulative potential

Dibenzoyl Peroxide, technically pure (94-36-0)		
Log Pow	3.71 (QSAR; 3.2; Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 22 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

### 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

GWPmix comment : No known effects from this product.

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Other information : No supplementary information available.

02/23/2018 EN (English US) 5/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**TDG** 

Transport by sea

Air transport

## **SECTION 15: Regulatory information**

15.1. US Federal regulations

### Dibenzoyl Peroxide, technically pure (94-36-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

## 15.2. International regulations

#### CANADA

No additional information available

## **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

### 15.3. US State regulations

## Dibenzoyl Peroxide, technically pure (94-36-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

## **SECTION 16: Other information**

Revision date : 02/23/2018

### Full text of H-phrases:

H241	Heating may cause a fire or explosion
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H401	Toxic to aquatic life

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/23/2018 EN (English US) 6/6